BOARD: Elizabeth M. Hagood Chairman Edwin H. Cooper, III Vice Chairman

Steven G. Kisner

Secretary



C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment

BOARD: Henry C. Scott

Paul C. Aughtry, III

Glenn A. McCall

Coleman F. Buckhouse, MD

## PUBLIC NOTICE OF APPEAL

TO:

All Interested Parties

FROM:

S.C. Department of Health and Environmental Control

SUBJ:

Spectre, LLC 26-06-02-17

DATE:

September 29, 2006

The Department has denied a stormwater/land disturbance permit to Spectre, LLC, for a site on the Highway 17 Frontage Road in Murrells Inlet at the Horry/Georgetown County line.

Spectre, LLC, has requested a contested case hearing before the Administrative Law Court.

Intervenors: A motion for leave to intervene, with the \$25 filing fee, shall be filed with the South Carolina Administrative Law Court, Edgar A. Brown Building, 1205 Pendleton Street, Suite 224, Columbia, South Carolina 29201, (telephone 734-0550) and served on all parties and shall state the grounds for the proposed intervention, the position and interest of the proposed intervenor, and the possible impact of the intervention on the proceedings. A proposed answer or position in intervention shall be attached to the motion.

Any person may intervene in any pending contested case hearing upon a showing that:

the movant will be aggrieved or adversely affected by the final order;

the interests of the movant are not being adequately represented by existing parties, or that it (2) is otherwise entitled to intervene;

that intervention will not unduly prolong the proceedings or otherwise prejudice the rights of (3) existing parties.

The motion for leave to intervene shall be filed as early in the proceedings as possible to avoid adverse impact on the existing parties or the disposition of the proceedings. Unless otherwise ordered by the administrative law judge, the motion to intervene shall be filed at least twenty (20) days before the hearing. Any later motion shall contain a statement of good cause for the failure to intervene earlier.

A person granted leave to intervene is a party to the proceeding. The intervenor shall be bound by any agreement, arrangement or other matter previously determined in the case. The order granting intervention may restrict the issues to be raised or otherwise condition the intervenor's participation in the proceeding. If appropriate, the administrative law judge may order consolidation of petitions and briefs and limit the number of representatives allowed to participate in the proceedings.

estie S. Riley

Chief Counsel, OCRM

### CERT 39-06 September 29, 2006 PUBLIC NOTICE

# S. C. DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT COASTAL ZONE MANAGEMENT CONSISTENCY CERTIFICATION

In accordance with the S. C. Coastal Zone Management Act of 1977, as amended, Chapter V, S. C. Coastal Zone Management Program Document and the S. C. Administrative Procedures Act, the following projects have been received for determination of consistency with the S. C. Coastal Zone Management Program. Information on the Projects is available for public inspection at the:

Office of Ocean and Coastal Resource Management S. C. Department of Health and Environmental Control 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Comments must be received within ten days of the date of this public notice by October 09, 2006. The following projects are listed by project name or applicant, location, type of activity, type of permit, and permitting agency (see attached list of abbreviations and keys)

## Beaufort County

Palmetto Pointe Townes, Permit ID# 07-06-09-05, Permit Number SCR10E127, TMS# R610-036-000-0454-0000, located at the intersection of Highway 46 & Realignment of Highway 170, Bluffton, OCRM (SW)

Broad Creek Marine, Phase 2, Permit ID# 07-06-09-06, Permit Number SCR10E139, TMS# R510-009-000-0111-0000, WW/WS, SCDHEC# 32125/55654, located on Marshland Road, Hilton Head Island OCRM (SW) (WW/WS)

Springfield Road Subdivision, Permit ID# 07-06-09-07, Permit Number SCR10E148, TMS# R200-005-000-0228-0000, 0029, 0032, and 0034. WW/WS, SCDHEC# 32147/55671, located on Springfield Road, Beaufort, OCRM (SW) (WW/WS)

Bluffton Park Lot 1-DalTile, Permit ID# 07-06-09-08, Permit Number SCR10E158, TMS# R610-031-000-0959-0000, located at 4355 Bluffton Parkway, Bluffton, OCRM (SW)

Whitehall Plantation, Permit ID# 07-06-09-09, SCR10E211, TMS# R200-014-000-0021-0000, 0024, 0139, 0030, 0024 and R201-014-000-0028-0000, 0026, 0040, 0002, 0022, WW/WS, SCDHEC# 32230/55699, located on Whitehall Drive at Highway 21 and Meridian Road, Beaufort, OCRM (SW) (WW/WS)

Stoney Neighborhood Sewer Extension, SCDHEC# 32231/55702, located in the vicinity of Squire Pope Road which is located on the north west portion of Hilton Head Island off of William Hilton Parkway (US Highway 278) also located adjacent to Squire Pope Road is Blazing Star Lane and Wright Place, OCRM (Other)

## Berkeley County

Home Telephone Retail, Permit ID# 08-06-09-03, Permit Number SCR10E142, TMS# 197-00-01-018, WW/WS, SCDHEC# 32105/55659, located off of Highway 52 and Cypress Gardens Road, OCRM (SW) (WW/WS) Foxbank Amenity Center, Permit ID# 08-06-09-04, Permit Number SCR10E152, TMS# 197-00-01-008, located off of Cypress Gardens Road and Highway 52, OCRM (SW)

## Charleston County

Grande Oaks, Phase 1, Permit ID# 10-06-09-04, Permit Number SCR10E055, TMS# 301-00-00-035, WW/WS, SCDHEC# 32005/55613, located west of Bees Ferry Road and north of Proposed Grand Bees Road, OCRM (SW) (WW/WS)

Ashley Place Townhomes, Permit ID# 10-06-09-09, Permit Number SCR10E144, TMS# 353-00-00-001, WW/WS, SCDHEC# 32106/55662, located off of Ashley River Road and William Kennerty Drive,

OCRM (SW) (WW/WS)

Somerby of Mount Pleasant, Permit ID# 10-06-09-11, Permit Number SCR10E251, TMS# 594-12-00-470, & 142, WW/WS, SCDHEC# 32227/55696, located off of Greymarsh Road and Basildon Road, Mount Pleasant, OCRM (SW) (WW/WS)

### Georgetown County

Legacy Place at Litchfield Plantation, Phases 2 & 3, Permit ID# 22-06-08-12, Permit Number SCR10E150, TMS# 04-0184A-24-00-00, WW/WS, SCDHEC# 32226/55674, located on All Saints Road and Chapel Creek Road, Litchfield, OCRM (SW) (WW/WS)

Town of Andrews Pump Station, SCDHEC# 32229/55700, located on Myrtle Road and Pine Street, OCRM (Other)

## Horry County

Campus Edge Apartments, Phase 2, Permit ID# 26-06-09-05, Permit Number SCR10E138, TMS# 150-00-06-160, WW/WS, SCDHEC# 32085/55675, located along Residence Boulevard and west of Jackson Bluff Road, Conway, OCRM (SW) (WW/WS)

Horry Georgetown Technical College Expansion Project, SCDHEC# 32228/55697, located adjacent to the Horry Georgetown Technical College Georgetown Campus off of Highway 17, OCRM (Other)

## Jasper County

Deerfield Village, Permit ID# 27-06-09-01, Permit Number SCR10E016, TMS# 030-00-01-001, SCDHEC# 32230/55669, located at Highway 321 and Stinney Road, Hardeeville, OCRM (SW) (WW/WS) NOTE: This project is proposed to impact 0.37 acres of federally non-jurisdictional wetlands. These proposed impacts require approval under the SCCZM Program. This plan will fill all of a 0.37 acres wetland for a total impact of 0.37 acres. Mitigation will be provided for this proposed impact by purchase of off-site mitigation credits.

Tradition, SC-Levitt Road, Permit ID# 27-06-09-03, Permit Number SCR10E154, TMS# 043-00-00-001, SCDHEC# 32186/55685, located on West Argent Tract, 8487 Feet North of Highway 278, Hardeeville, OCRM (SW) (WW/WS)

CYDI-Hardeeville Industrial, Permit ID# 27-06-09-04, Permit Number SCR10E155, TMS# 029-47-05-02, 029-47-05-07 and 029-47-05-11, located off Highway 17 between SR-27-360 and SR-27-104, Hardeeville, OCRM (SW)

Page 2 39/06

#### AGENCIES ABBREVIATION

BCDCOG Berkeley, Charleston, Dorchester Council of Governments

BCWSA Berkeley County Water and Sanitation Authority
EQC Environmental Quality Control (SCDHEC)
DCWSC Dorchester County Water and Sewer Commission
GCWSD Georgetown County Water and Sewer District

GSWSA Grand Strand WSA

LCG Lowcountry Council of Governments
OCRM Ocean and Coastal Resource Management

BCB Budget and Control Board

FBPWD Folly Beach Public Works Department

GCPW Goose Creek Public Works

SCDHEC S. C. Department of Health and Environmental Control

SCDNR S. C. Department of Natural Resources
SCDOT S. C. Department of Transportation

SCGO S. C. Governor's Office SCPSA S. C. Public Service Authority

SCPW Summerville CPW USAF U. S. Air Force

USACOE
USDA
USDE
US S. Army Corps of Engineers
U. S. Department of Agriculture
U. S. Department of Energy

USDHUD U. S. Department of Housing and Urban Development

USDOT
USFHA
U. S. Department of Transportation
USFHA
U. S. Farmers Home Administration
USFWS
U. S. Fish and Wildlife Service

USFS U. S. Forest Service

USICC U. S. Interstate Commerce Commission

USMC U. S. Marine Corps

USN U. S. Navy WCOG Waccamaw COG

MPWWSC Mount Pleasant Water Works and Sewer Commission

MCCPW Moncks Corner CPW

#### PERMITS AND OTHER ABBREVIATIONS

404 placement of dredged or fili material in wetlands

AIWW Atlantic Intracoastal Waterway
AMP archaeological master plan

A-95 grant review form AQ air quality

COG council of governments
CPW commissioners of public works

DMP dock master plan
FC federal consistency
GR misc. grant review

LF landfill

ND no discharge

NWP nation wide permit

OTHER misc. permit, grant, or plan
PER preliminary engineering report

S/D subdivision

SCNW South Carolina Navigable Waters

SW stormwater

UST underground storage tank WMP wetland master plan

WS water supply

WSA water and sewer authority


WW wastewater

WTP wastewater treatment plant

#### SPECIAL NOTES

- \*DMPs Dock Master Plans OCRM is reviewing the listed DMPs for planning purposes only. Permitting decisions will occur when future dock applications are processed by OCRM for individual property owners. This document is used as a planning tool it is not subject to the appeal. OCRM welcomes comments from the public on these planning documents.
- \*\*WMPs Wetland Master Plans OCRM is reviewing the listed WMPs for planning purposes only. Permitting decisions will occur when future applications are processed by OCRM, which include impacts to freshwater wetlands. This document is used as a planning tool; it is not subject to appeal. OCRM welcomes comments from the public on these planning documents.
- \*\*\*SWMPs Stormwater Master Plans OCRM is reviewing the listed SWMPs for planning purposes only. Permitting decisions will occur when future applications are processed by OCRM. OCRM welcomes comments from the public on these planning documents.
- \*\*\*\*PERs Preliminary Engineering Reports OCRM is reviewing the lists PERs for the purpose of commenting to other sections of DHEC concerning this document. OCRM will not be issuing a coastal zone consistency certification at this time but providing comments. If this proposal moves forward to the permitting process, OCRM would at that time do a full coastal zone consistency review.







UF	OF	TERPACE			Y	OKTOODIG		
Fo	or of	ficial use only		For official use only	and the second			
		mber: <u>70-09-01</u>		RECEI	VE	n		
		number: SCR10 EQ16		Krow	1			
			5.06	SEP 0 8	2006			
		ttal package complete: <u>4 · 7 ·</u>		Control .				
P۱	blic	Notice Start Date (OCRM only)	4-24-00	DHEC-O	CRI	Λ		
ĢI	ntity nder	ission of an NOI constitutes n identified in Section Lintends to SCR100000. Instructions on po 08/21/2006	be authorized	BEAUFORT	OFFIC	<b>E</b>		
		ct/ Site Name:Deerfie	ld Village	9	C	ounty: Ta spe	r	
D	o yo	ou want this project to be cor	isidered for the	Expedited Permitting	Program	n (EPP) ? 🗆 Ye	S No (See	instructions.)
l.	Pr Pe M Pr	oject Information oject Owner/ Operator (Composite Contact (if owner is compositing Address: 100 Rogemone: (Day) 803 -649 -6	pany): <u>See</u> rs Terrace <u>673</u> (Mob	item above City: Aike pile)	Cor	mpany EIN: 7 State: _ (Fax)	L - <u>D</u> Q X sc zip: 29	7396
11,	A. B.	operty Information  Site Location (street address, City/ Town (if in limits): Har Tax map # (list all): OSC Property Owner (if different f Mailing Address: Phone: (Day)	deeville $0 - 00 - 0$ rom section (ab	Laffluds:32°18 OO   pove): _Same_as_a City:	22_"	N Longitude State:	-81_°05 Zip:	
181	C. D. E.	le information  Disturbed area (to the neare is this project part of a Large if yes, what is the previous stat LCP/ Overall Development N. Start Date (MM/DD/YYYY): 1/2 is this site located on Indian I. Type of Activity (check all the Commercial Resider Are there any flooding problems is any part of the property louis if yes, list the MS4 operator of	est tenth of an a r Common Plan e permit number lame: Lands? D Yes E at apply): ntial: Single-famil- ems downstreal response to a landador	for Development or Signature  The Completion Date  No If yes, name of the Signature  Linear (Roads or Site Preparation or adjacent to this signature to Comply issue or MS4 or urbanized are	ale (LCP Previous Pre	Total area:	9_7   No   ber. SCR10_   Other	
IV	uo.	aterbody Information						
14		Nearest receiving waterbook Next/Nearest named receiving B. Wetlands/ Waters of the 3	ng waterbody(: tale	htc <u>Qean</u>			oody (feet):	
		1. Waters of the U.S./ State	Yes DNo	☐ Yes ☐ No		☑ Yes ☐ No		Feet
		a. Perennial stream(s)	Yes To No	☐ Yes ☐ No	N T	D Yes D No	AC	Feet
		h Intermittent stream(s)	TIYES TINO	TI Yes TI No		D Vac D No	A 100	Feat

☐ Yes DtNo □ Yes □ No c. Ephemeral stream(s) ☐ Yes ☐ No AC 9AC Feet Yes RNo PYes DNo Yes No d. Jurisdictional wetlands Yes & No Yes Dano Feet Neves I No 309 Ac e. Non-jurisalictional wetlands 22 Yes 🗆 No Feet f. Other (List):\_ □ Yes □ No ON D SeY D Feet

2. If yes for impacts in item B.1, has a USACOE permit been applied for or obtained for those impacts?

□ Yes □ No □ N/A If yes, list the permit/application number.

DHEC 2617 (07/2006)

PAGE 02

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

C. Impaired Waterbodles  Do stormwater (SW) discharges from the site drain to a watershed the (WQMS)	of drains to a DHEC WQ monitoring site
1. Listed on the most current 303(d) List for Impaired Waters?   Of Years for (1), is then an unimpaired WQMS between your site and	S A NO
b. If no for (a), list the waterbody. Savannah River Ust the	simpairment(s), Zn FC
<ul> <li>Will construction Styl discharges from your site contain the pollutar</li> <li>If yes for (c), will use of the selected BMPs ensure that the site's als</li> </ul>	nt(s) of impalment? If yes I No
further water quality standard violations?   Yes   No	diameter and contribute to dicone
2. For which a TMDL(s) has been developed? I Yes No a. If yes for (2), list the waterbodyList t	ne impairment(s).
b. Has the standard been attained for the impairment(s)? I Yes I	No
<ul> <li>c. If no far (b), wit construction SW discharges from your site contain</li> <li>Pes D No</li> </ul>	the pollutant of Impairment?
d. If yes for (c), are your discharges consistent with the assumptions of Yes. II No.	and requirements of the TMDL(s)?
e. If no for (d), will use of the selected BMPs ensure that the site's disc further water quality standard violations? [1] Yes [1] No	charges will not contribute to or cause
D. Are S.C. Naviaable Waturs (SCNW) on the site?   Yes  No If yes, II	st the SCNW:
Will any construction activities cross over or occur in, under, or through	h the SCNW? II Yes II No
If yes, then describe activity (e.g., road crossing, sub aqueous utility li Has an SCNW permit been issued for this site?   O Yes, for all activities	D Yes for some activities D No.
it yes, list permit number and corresponding activities.	E 183, 103 SOFTIE GOTTATION ES 140
	iii
A. SWPPP Prepare: Jeff P. Ackerman, P.E.	S.C. Registration #: 19046
A STATE OF THE STA	5 C COA 6C02324
Mailing Address: P.o. Box 294 City: Beauf Phone: (Doy) 843 - 322 - 0553 (Mobile)	ort State: SC 7p: 29901
Phone: (Day) 843 -322 - 0553 (Mobile)	Fox) 843 -322 - 0556
	Charlest Control of the Control of t
B. Operator of Day-to-Day Site Activities [ODSA] (Company or personal Contact (If ODSA is company):	
Mailing Address: (Mobile)	State: Zlp:
Phone: (Day) (Mobile)	(Fax)
VI. Signatures and Certifications	
A. One copy of the SWPFF, all specifications and supporting calculations, to and made a part of this application. I have placed my signature and seq	ms, and reports are neterally submitted
significant that I accept remandality for the deticn of the system, fulfact,	CEUTY to the past of the knowledge duty
heliaf that the decian is consistent with the requirements of TIII2 48. CDOD	er 14 of the Code of Laws 0: 3C, 17/5
as amended, pursuant to Regulation 72-300 et seq., and in accordance SCR 100000. (This should be person identified in Section V.A.)	With the sents one constituting of
Please check one. Stangineer Ditier Bland Jurveyo	Landscape Architect
	19046
Jeff P. Ackerman, P.E. Printed name of SWIPP Preparer Signature of SWIPP	- Children
B. I certify under penalty of law that this document and all attachments were paccordance with a system designed to assure that qualified personnel pro	repared under my direction or supervision in
submitted, Based on my inquiry of the person of persons who manage me	my knowledge and belief, true, accurate,
and complete, I am aware that there are significant penalties for submitted of the and important penalties for submitted	g ides information, including the possibility
I hereby certify that all land-disturbing construction and associated a accomplished pursuant to and in keeping with the terms and conditions of certify that a responsible person will be assigned to the project for day-to-day	the approved pions and suk luuduu. laso
Paraminosis of Usellik, and Environmental Captrol and/of the IOCG) IDC	menting abendy the han of acces to
the site of all times for the purpose of on site inspections during the course of inspections following the completion of the land disturbing activity. (See S	continuction and to perform maintenance
equinority information.)	The state of the s
3	Executive Directo
Printed name of Project Owner/Operator Signature of Project Ow	00
Printed name of Project Owner/Operator Signature of Project Ow	mey touris

#### NPDES CGP Fee Schedule B (Beaufort, Berkeley, Charleston, Colleton, Dorchester, Georgetown, Horry, and Jasper Counties)

Please print or type. Do not send payment in window envelope. DO NOT MAIL CASH. This schedule should be attached to DHEC Form 2617. The Department will notify the Project Owner/ Operator if the submitted check o credit card payment cannot be processed. The review clock will start when acceptable payment is received.
7. Is this project located within 1/2 mile of a receiving waterbody?   Yes  No

1. Is this project located within ½ mile of a receiving waterbody?   Yes No If yes, proceed to item 2. If no, proceed to item 3.	
2. Will this project or LCP ultimately disturb more than 0.5 acre?   Yes  No	\$, X
a. If yes, then enter \$125 in right-hand column and proceed to item b. If no.	
then submission of an NOI for NPDES coverage under SCR100000 is not required.	
b. Review Fees	\$ 00
If this project is owned by S.C. Department of Transportation, then review fees	
are not initially required*. Proceed to item 4. If this project is exempt from S.C. Reg.	
72-300 et seq., specifically 72-302, then review fees are not initially required**.	
Proceed to item 4. Otherwise, enter review fees of \$100/ disturbed agre (see item	
III.A of the application) in right-hand column. The review fees cannot exceed \$2000.	
Proceed to item 4.	
3. Will this project or LCP ultimately disturb 1 or more acres? 🗹 Yes 🗆 No	\$ 125.00
a. If yes, then enter \$125 in right-hand column and proceed to item b. If no, then	
coverage under SCR100000 is not required.	
b. Will this project or LCP ultimately disturb more than 2 acres? Z Yes D No	\$ 1000.00
If no, then review fees are not initially required**. Proceed to item 4.	4
If this project is owned by S.C. Department of Transportation, then review fees	
are not initially required*. Proceed to Item 4. If this project is exempt from S.C.	
Reg. 72-300 et seq., specifically 72-302, then review fees are not initially required**.	
Proceed to Item 4. Otherwise, if yes, enter review fees of \$100/ disturbed acre (from	
item III.A of the application) in right-hand column. The review feet cannot exceed	
\$2000.	\$ 1125.00
4. Total Required Fees  Add the values in the right-hand column. Maximum required fees are \$2125. The	4 1 1 C ~ 2 . UL
Add the values in the right-hand coloring waxing in required sees die \$2125. The	

Department will not review this project until all required fees are received.

\* If the Department will review the project, then the Department will notify the Project Owner/ Operator in writing within 10 business days of receipt of the complete NOI and request review tees.
\*\* If the Department will review the project, then the Department will notify the Project Owner/ Operator in writing within 20

days of receipt of the complete NOI and request review fees.


If paying by check, fill out information and attach check below. Make sure check is signed and is not past its presentment date. Make sure the check is for the entire amount of required fees.


## STAPLE CHECK HERE

Make check payable to: S.C. DHEC.

	-	
Payment by Credit Card:	المراجع المراجع المراجع المراجع	Liantura is an enloto
If paying by credit card, fill out information. Make sure that the	authorizea si	ignume is complete.
Name as it appears on Card:	City	State: Zip:
Phone Number: Fax Number:		
Type of Card: □ Visa □ MasterCard □ Discover Credit Card	Number:	
Authorized Signature:		Expiration Date:/
For official use only: Invoice Numbers YE YA		_ zv zt

DHEC-2617 (07/2006)







C. Earl Hunter, Commissioner


Promoting and protecting the health of the public and the environment.


## PUBLIC NOTICE AMENDMENT REQUEST

The permittee for P/N# OCRM-05-326-L, Greg Sanders, has requested an amendment to that issued permit. The proposed amendment is for enlarging the walkway width from four feet to five feet to provide handicap access and to move the permitted channelward floating dock to the ebbside of the pierhead., The proposed amendment is for private, recreational use on and adjacent to Charleston Harbor at Lot 4B, Wampler Dr., Charleston, Charleston County, South Carolina.

Written comments will be received on this amendment request until October 9, 2006 at the address listed below. For further information please contact the project manager, Amanda Flake, 843-744-5838, ext. 149.

Diember 29, 2006





AUG 2 9 2006

DHEC-OCHW CHAPLESTON OFFICE

APPLICANT: GREG SANDERS

WAMPLER DRIVE

**EASTWOOD** CITY OF CHARLESTON

CHARLESTON COUNTY

454-02-00-052 CHARLESTON HARBOR


OCKM-05-326-L

FILE #186-06

**AMEND** DOCK PERMIT OCRM-05-326-L

DATE: AUGUST 22, 2006


NO SCALE



## - MAPQUEST .=

[604-613] Wampler Dr Charleston SC 29412 US

Notes:		
174		



All rights reserved. Use Subject to License/Copyright

This map is informational only. No representation is made or warranty given as to its content. User assumes all risk of use. MapQuest and its suppliers assume no responsibility for any loss or delay resulting from such use.

OCRM-05-326-L




C. Earl Hunter, Commissioner
Promoting and protecting the health of the public and the environment.

## PUBLIC NOTICE AMENDMENT REQUEST

The permittee for P/N# OCRM-06-182-M, Joyce M Felder, has requested an amendment to that issued permit. Specifically, the applicant proposes to shift the previously permitted 12' by 12' boatlift 12' away from the permitted fixed pierhead and add a 2' by 10' access catwalk 28' from the downstream common property line as shown on the attached drawing. The proposed amendment is for modifications to a private recreational dock on Sandy Creek at 8741 Peters Point Road, Edisto Island, Colleton County, South Carolina.

Written comments will be received on this amendment request until October 9, 2006 at the address listed below. For further information please contact the project manager, Fred Mallett, at 843-744-5838 ext 119.

September 29, 2006





#### C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment.

## Request to Amend a Minor OCRM Critical Area Permit

	True M Fellow mailing as	Adress.
Name & Address:	Joyce M. Felder	yne lane
	8741 Peters Point Road 188 Fa	SC
	Edisto Island SC 29438 Lexingt	29072
Phone Number:	803 957 8448	29012
Permit Number:	OCRM-06.182.M.	1
Please write a detaile	ed description of the changes that you would like to make:	
Add 21 x 10	of catwork for access to boat lift	
Adjust Los	cation of all dock elements to balance	
	- see drawing enclosed.	
Current Adjacent Pr	and Martha B. Nye, 1617 Dryden Lane,	
	Charleston SC 79707	
Cathey F.	McWhorter, 45 Battery Park Road 1	· P.

Please attach professional drawings\*\* depicting your bhanges the affidavit of publication and the \$100.00 amendment fee. (\*\*Note: As of July 22, 2006, all permit and amendment requests must be accompanied by drawings produced by Registered Land Surveyors, Professional Engineers or Landscaped Architects, all of which must be licensed with the State of South Carolina. Each drawing must be stamped and signed by the licensed professional and must include their license or registration number as well as all required measurements and dimensions. Hand drawings will not be accepted; all drawings must be computer generated. Drawings prepared by marine contractors will no longer be accepted.)

Please submit this request to:

Charleston Office:

SCDHEC-OCRM

1362 McMillan Ave, Suite 400

Charleston, SC 29405

Beaufort Office:

SCDHEC-OCRM 104 Parker Drive

Beaufort, SC 29906

Myrtle Beach Office:

SCDHEC-OCRM

927 Shine Ave

Myrtle Beach, SC 29577


SEP 1 2 2006

CHARLESTON OFFICE

8/2006

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Ocean and Coastal Resource Management Charleston Office • 1362 McMillan Avenue • Suite 400 • Charleston, SC 29405 Phone: (843) 744-5838 • Fax: (843) 744-5847 • www.scdhec.gov





## C. Earl Hunter, Commissioner Promoting and protecting the health of the public and the environment.

### Notification of Public Notice

Enclosed are public notices issued by the SCDHEC Office of Ocean and Coastal Resource Management. All interested parties are allowed 30 days for major developments and 15 days for minor developments after receipt of the public notices to file written comments to the OCRM pertaining to the applications. Only those comments received within this period must be reviewed by the OCRM in processing the permit application. Any person wishing notification of the initial OCRM decision on any specific public notice must make written request within the designated review period for that public notice.

APPLICANT	PUBLIC NOTICE NUMBER	SUSPENSE DATE
J. N. Marshall	OCRM-06-292-M	October 14, 2006
Ruth N. Waters	OCRM-06-300-M	October 14, 2006
Chuck Buck	OCRM-06-301-R	October 14, 2006
William A. Mayfield	OCRM-06-303-R	October 14, 2006
Fred C. Haas	OCRM-06-304-M	October 14, 2006
Joseph Bianco	OCRM-06-305-M	October 14, 2006
Edward McNellis	OCRM-06-306-M	October 14, 2006
Brian Stone	OCRM-06-311-M	October 14, 2006
Michael Murph	OCRM-06-312-M	October 14, 2006
William Palphreyman	OCRM-06-948	October 14, 2006
Robert M. Campbell	OCRM-06-949	October 14, 2006
Lewis E. Carter	OCRM-06-950	October 14, 2006
Leila T. Stevens Kenneth R. Groff Carlisle & Joey Godley	OCRM-06-951 OCRM-06-952 OCRM-06-953	October 14, 2006 October 14, 2006 October 14, 2006
Jonathan B. Turrell Paul C. Hanna Daniel Harrell	OCRM-06-954 OCRM-06-955 OCRM-06-956	October 14, 2006 October 14, 2006 October 14, 2006

September 29, 2006

## SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

September 29, 2006

Permit Number:

OCRM-06-292-M

Permit ID:

55540

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

J. N. Marshall

C/O WatersDeep, Inc P.O. Box 12880 Charleston, SC 29412

LOCATION:

On and adjacent to Milton Creek at 8575 Middleton Point Lane, Middleton Plantation

Subdivision, Edisto Island, Colleton County, South Carolina.

TMS#: 028-01-00-064.

WORK:

The work as proposed and shown on the attached plans consists of constructing an erosion control device. Specifically, the structure will consist of a 16' high by 128' long riprap revetment being constructed along an eroding shoreline. The purpose of the activity is for

erosion control.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006. For further information please contact the project manager for this activity, Fred Mallett at 843-747-4323 ext. 119.


#### PLEASE REPLY TO:


SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Please refer to P/N# OCRM-06-292-M

Tess Rodgers Regulator, Coordinator







## TYPICAL RIPRAP RETAINING WALL



OCRM-06-292-M

PROPOSED: RIP RAP RETAINING WALL CONSTRUCTION

ADJACENT OWNERS: 1. NANCY M. BOWE


2. LONG FAMILY TRUST

FIGURE 2 SIDE VIEW

SCALE 1" = 10'
DR. J. NEIL MARSHALL
8575 MIDDLETON POINT LANE
EDISTO ISLAND SC 29438

PROPOSED: PRIVATE DOCK CONSTRUCTION WATERWAY: MILTON CREEK

ON: EDISTO ISLAND
COUNTY OF: CHARLESTON, SC
APPLICATION BY: DR. J. NEIL MARSHALL
P/N #/: TBD
DATE: 8-31-06



### LOCATION MAP NOT TO SCALE

## DCRM-06-292-M

PROPOSED: RIP RAP RETAINING WALL CONSTRUCTION

ADJACENT OWNERS: 1. NANCY M. BOME

2. LONG FAMILY TRUST

FIGURE 4

DOCK LOCATION MAP NOT TO SCALE

DR. J. NEIL MARSHALL 8575 MIDDLETON POINT LANE EDISTO ISLAND SC 29438

PROPOSED: PRIVATE DOCK CONSTRUCTION WATERWAY: MILTON CREEK

ON: EDISTO ISLAND COUNTY OF: CHARLESTON, SC APP, BY: DR. J. NEIL MARSHALL P/N #/: TBD DATE: 8-31-06

## SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

September 29, 2006

Permit Number:

OCRM-06-300-M

Permit ID:

55566

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Ruth N. Waters

5584 Frisco Lane

Johns Island, SC 29455

LOCATION:

On and adjacent to Church Creek at Parcel E, Frisco Lane, Johns Island, Charleston County,

South Carolina.

TMS#: TMS 220-00-00-118.

WORK:

The work as proposed and shown on the attached plans consists of constructing a dock. Specifically, the structure will consist of a 4' by 379' walkway, with a single handrail, leading to a 12' by 12' covered fixed pierhead. Floodside of the pierhead, a ramp will lead to a 10' by 30' floating dock. The purpose of the activity is for the applicant's private recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006. For further information please contact the project manager for this activity, Fred Mallett at 843-747-4323 ext. 119.


#### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Please refer to P/N# OCRM-06-300-M

egulatory Coordinator







## SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

September 29, 2006

Permit Number:

OCRM-06-301-R

Permit ID:

55567

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Chuck Buck C/O H W Beam PO Box 11863

Columbia, SC 29211

LOCATION:

On and adjacent to Foster Creek at Lot 2 Island Walk East, Mount Pleasant, Charleston

County, South Carolina. TMS#: 556-00-00-487.

WORK:

The work as proposed and shown on the attached drawings consists of constructing a dock. The applicant seeks to build a  $4' \times 550'$  walkway leading to a  $3' \times 15'$  ramp to access a proposed  $10' \times 12'$  floating dock. The work as described is for the applicant's private,

recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006. For further information please contact the project manager for this activity, Tess Rodgers at 843-747-4323 ext. 116.


#### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Please refer to P/N# OCRM-06-301-R

Test Radors Regulatory Coordinator





SECTION - DOCK/RAMP/FLOAT



FOR PERMITTING ONLY NOT FOR CONSTRUCTION

APPLICANT: CHUCK BUCK

ACTIVITY:

Construct Floating Dock, Ramp


and Walkway


LOCATION: Island Walk East Mount Pleasant

COUNTY: Charleston

DATE: 8/14/2006

SHEET 4 of 4





APPLICANT:

Chuck Buck

ACTIVITY:

Construct Floating Dock, Ramp and Walkway

P/N#002M-06-301-12


LOCATION: Island Walk East

Mount Pleasant

COUNTY: Charleston

8/14/2006 DATE:

SHEET 1 OF 4



DHEC-OCRM CHARLESTON OFFICE

## SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

September 29, 2006

Permit Number:

OCRM-06-303-R

Permit ID:

55585

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

William A Mayfield

212 Wandolea Dr

Mount Pleasant, SC 29464

LOCATION:

On and adjacent to Wando River at 212 Wandolea Dr, Mount Pleasant, Charleston County,

South Carolina.

TMS#: 514-06-00-014.

WORK:

The work as proposed and shown on the attached drawings consists of constructing a dock. The applicant seeks to build a 4' x 300' walkway leading to a 12' x 16' fixed pierhead. Ebbside of the pierhead, a ramp will access an  $8' \times 16'$  floating dock. Floodside of the pierhead, an  $8' \times 16'$  boatlift is proposed. The work as described is for the applicant's private,

recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006. For further information please contact the project manager for this activity, Tess Rodgers at 843-747-4323 ext. 116.

#### PLEASE REPLY TO:


SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Please refer to P/N# OCRM-06-303-R

Test Rodgars, Regulatory Coordinator




ocem-06-303-R



OCRM-06-303-R

OCRM-06-303-R



September 29, 2006

Permit Number:

OCRM-06-304-M

Permit ID:

55583

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Fred C. Haas

55 Morgan Place Drive Isle Of Palms, SC 29451

LOCATION:

On and adjacent to Flounder Lake at Lot 12, Beagle Club Road, Yonges Island, Charleston

County, South Carolina. TMS#: 159-00-00-112.

WORK:

The work as proposed and shown on the attached plans consists of constructing a dock. Specifically, the structure will have a 4' by 200' walkway with handrails leading to a 14' by 16' covered fixed pierhead. Channelward of the pierhead, a ramp will lead to a 10' by 20' floating dock. The purpose of the activity is for the applicant's private recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006. For further information please contact the project manager for this activity, Fred Mallett at 843-747-4323 ext. 119.

#### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Please refer to P/N# OCRM-06-304-M

Tess Rodgers Regulatory Coordinator







SEP 13 2006

ADJACENT OWNERS

George R Smoak, Life Estate 6481 Long Island Rd Meggett SC 29449

Mildred S Flippen 52 Beagle Club Rd Yonges Island SC 29449

## OCRM-06-304-M

ACTIVITY: PRIVATE RECREATION DOCK


IN: FLOUNDER LAKE NEAR: TOWN OF MEGGETT COUNTY OF: CHARLESTON STATE OF: SOUTH CAROLINA


APPLICATION BY: FRED & PAM HAAS

1 OF SHEET

SEPTEMBER 9, 2006 DATE:

DATE: SEPTEMBER 9, 2006





ACTIVITY: PRIVATE RECREATION DOCK


IN: FLOUNDER LAKE
NEAR: TOWN OF MEGGETT
COUNTY OF: CHARLESTON
STATE OF: SOUTH CAROLINA
APPLICATION BY: FRED & PAM HAAS

SHEET 1 OF 1 DATE: SEPT. 9, 2006 ADJACENT OWNERS

- George R Smoak, Life Estata 6481 Long Island Road Meggett SC 29448
   Mildred S Flippen
- Mildred S Flippen
   S2 Beagle Club Rd Yonges Island SC 29449

DATE: SEPT. 9, 2006 SCALE: NOT TO SCALE

OCRM-06-304-M



September 29, 2006

Permit Number:

OCRM-06-305-M

Permit ID:

55591

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Joseph Bianco

1174 Fort Lamar Road Charleston, SC 29412

LOCATION:

On and adjacent to Burden Creek at Lot 3, Burden Creek Road, Johns Island, Charleston

County, South Carolina. TMS#: 317-00-00-040.

WORK:

The work as proposed and shown on the attached plans consists of making additions to an existing dock. Specifically, the applicant proposes to install a 4' by 29' section of walkway with handrails leading to a 7' by 8' covered fixed pierhead extending from the existing walkway. Floodside of the pierhead, a ramp will access 7' by 9' floating dock. The purpose

of the activity is for the applicant's private recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006. For further information please contact the project manager for this activity, Fred Mallett at 843-747-4323 ext. 119.


#### PLEASE REPLY TO:


SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Please refer to P/N# OCRM-06-305-M

es Rodges Regulatory Coordinator










ADJOINING PROPERTY OWNERS:

1. FRANCES PORTER LIFE ESTATE (LOT 2)

2. LAURA L. McKENZIE (LOT 4)

## GRAPHIC SCALE ( IN FEET ) 1 inch = 30 ft.

APPLICATION BY: JOE BIANCO	LOCATION A PROPOSED RECREATIONAL DOCK AT LOT 3 – BUSIAND	PLAN AND PROFILE	5 OF 5
ADDRESS: LOT 3-BURDENS CREEK RD			
DATE: AUGUST 14, 2006	JOHNS ISLAND CHARLESTON COUNTY		
REVISED: OCRM - OG-305-M	SOUTH CAROLINA		



September 29, 2006

Permit Number:

OCRM-06-306-M

Permit ID:

55606

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Edward McNellis

C/O Mr. Lewis Moore P.O. Box 30575

Charleston, SC 29417

LOCATION:

On and adjacent to a tributary of Rantowles Creek at Lot 9, Bullow Point Road, Bulow

Plantation Subdivision, Charleston County, South Carolina.

TMS#: 287-00-00-324.

WORK:

The work as proposed and shown on the attached plans consists of constructing a dock. Specifically, the structure will have a 4' by 50' walkway with handrails and a 7' by 10' covered fixed pierhead with handrails on its' upstream side. Channelward of the pierhead a ramp will lead to a 6' by 15' floating dock. The applicant also proposes to install a covered 10' by 15' four-pile boatlift on the upstream side of the proposed pierhead. The purpose of

the activity is for the applicant's private recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.

To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006. For further information please contact the project manager for this activity, Fred Mallett at 843-747-4323 ext. 119.


#### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT

1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Please refer to P/N# OCRM-06-306-M


Regulatory Coordinato




CHARLESTON COUNTY TMS 287-00-00-324 TRIBUTARY OF RANTOWLES CREEK

OCRM-06-306-M







מטי מט

THUE

September 29, 2006

Permit Number:

OCRM-06-311-M

Permit ID:

55678

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Brian Stone

C/O Cox Marine 3420 Maybank Hwy. Johns Island, SC 29455

LOCATION:

On and adjacent to Haulover Creek at Lot 6, Maritime Forest Drive, Hope Plantation

Subdivision, Johns Island, Charleston County, South Carolina.

TMS#: 203-12-00-045.

WORK:

The work as proposed and shown on the attached plans consists of constructing a dock. Specifically, the structure will have a 4' by 285' walkway leading to a 20' by 20' fixed pierhead. Channelward of the pierhead, a ramp will lead to a 10' by 20' floating dock. The applicant also proposes to install a 12' by 20' floating boatlift on the upstream side of the proposed fixed pierhead. Portions of the proposed activity were previously permitted but not constructed under expired permit, P/N OCRM-98-370-B. The purpose of the activity is for the applicant's private recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.

To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006. For further information please contact the project manager for this activity, Fred Mallett at 843-747-4323 ext. 119.


#### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400

Charleston, South Carolina 29405

Please refer to P/N# OCRM-06-311-M

Regulatory Coordinator



HAULOVER CREEK 1. 欧洲城市 SECTION OF do. Change COF ANT MLW MHM 541' MARSH TO MARSH 12'X20' FLOATING BOAT LIFT 12'X20' FLOATING DOCK MARSH MARSH NO PORTION OF THE CREEK'C WIDTH AS MEASURED FROM SHORELINE TO SHORELINE TO SHORELINE THE DOCK OR ANY BOAT MOORED AT THIS DOCK DOES NOT IMPEDE OR UNDULY RESTRICT NAVIGATION AT ANY STAGE OF THE TIDE CYCLE ALL PORTIONS OF THE DOCK ARE CONSTRUCTED AS TO REMAIN A MINIMUM OF 20' OFF OF THE ADJOINING EXTENDED PROPERTY LINES 20'X20' PIERHEAD 4 & HANDRAILS A.H. SCHWACKE & ASSOCIATES, INC. X 285' WALKWAY 1975 FRAMPTON AVE PH 843-762-7005 LAND SURVEYING & CONSTRUCTION LAYOUT P.O. BOX 13077, CHAS., S.C. 29422 .4 CRITICAL LINE DHEC-OCKM

PROPOSED ACTIVITY CONSTRUCT PRIVATE/RESIDENTIAL DOCK

LOT 6 PHASE II-A HOPE PLANTATION JOHNS ISLAND, SOUTH CAROLINA

ELEVATION VIEW

DATE: SEPTEMBER 12, 2006

DRAWN BY: AHS III

06336

DWG. NO.: 06194

CHARLESTON COUNTY

APPLICANT: BRAIN STONE
MARITIME FOREST DR
JOHNS ISLAND, SC

NOT TO SCALE

1. DAVID R. CHARD (TMS #203-12-00-044) 2. NORMAN BERLINSK (TMS #203-12-00-046)

ADJACENT PROPERTY OWNERS

OCKM-06-311-M

DATE: SEPTEMBER 12, 2006 DWG, NO.: 06194 06336 DRAWN BY: AHS III

LOT 6 PHASE II-A HOPE PLANTATION JOHNS ISLAND, SOUTH CAROLINA ELEVATION VIEW

ADJACENT PROPERTY OWNERS.


1. DAVID R. CHARD (TMS #203-12-00-044) 2. NORMAN BERLINSK (TMS #203-12-00-046)

NOT TO SCALE

PROPOSED ACTIVITY
CONSTRUCT PRIVATE/RESIDENTIAL DOCK

CHARLESTON COUNTY

APPLICANT: BRAIN STONE MARITIME FOREST DR JOHNS ISLAND, SC



September 29, 2006

Permit Number:

OCRM-06-312-M

Permit ID:

55679

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Michael Murph

C/O Mr. Keith McRoy P.O. Box 51602

Summerville, SC 29485

LOCATION:

On and adjacent to a tributary of Captain Sams Creek at 2982 Seabrook Island Road,

Seabrook Island Subdivision, Charleston County, South Carolina.

TMS#: 149-05-00-041.

WORK:

The work as proposed and shown on the attached plans consists of constructing a dock. Specifically, the structure will have a 4' by 91' walkway leading to a 10' by 12' fixed

pierhead. The purpose of the activity is for the applicant's private recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006. For further information please contact the project manager for this activity, Fred Mallett at 843-747-4323 ext. 119.


#### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Please refer to P/N# OCRM-06-312-M

Regulatory Coordinator








CRM.06.312-M

APPLICANT:
MICHAEL MURPH
2982 SEABROOK ISLAND RD.
LOT 6, BLOCK 37
TOWN OF SEABROOK
SEABROOK ISLAND, S.C. 29455
CHARLESTON COUNTY, S.C
TMS 149-05-00-041
A TRIBUTARY OF CAP'N SAM'S CREEK APPLICANT HOME ADDRESS: P.O. BOX 523 ST. MATTHEWS, S.C 29135

OCRM DOCK







September 29, 2006

Permit Number;

OCRM-06-948

Permit ID:

55618

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

William Palphreyman

C/o Bailey Marine Construction Inc

277 Old Baileys Rd Okatie SC 29909

LOCATION:

On and adjacent to a tributary of Chechessee Creek at 39 Sugar Mill Drive on Callawassie

Island, Okatie, Beaufort County, South Carolina.

TMS#: R600-015-00B-0038-0000.

WORK:

The work proposed consists of constructing a private dock. The proposed structure will have a 4'x137' walkway with handrails leading to a 10'x10' fixed pierhead. To the right of the pierhead will be a 3'x24' ramp leading to an 8'x20' floating dock. The purpose for the dock is

for the owner's private recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006.

#### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 104 Parker Drive Beaufort, South Carolina 29906

Please refer to P/N# OCRM-06-948

C. W. "Rocky" Browder, III, Regional Permit Administrator






### GASQUE & ASSOCIATES INC. LAND SURVEYORS & PLANNERS

28 PROFESSIONAL VILLAGE CIRCLE, BEAUFORT, S.C. P.O. BOX 1363, BEAUFORT, S.C. PHONE (843) 522-1798

> NOTE: DISTANCES AND PLACEMENT OF DOCKS MUST BE VERIFIED BY CONTRACTOR

DRAWING NOT TO SCALE



DATE: 8/21/06

DAVID E. GASQUE, R.L.S.

JOB # 31988 FB#NA/A.E. DSGN#3

APPLICANT: 600-0158-0038
PALPHREYMAN WILLIAM JOYCE M.
41 SUGAR MILL DR OKATIE, SC. 29909

ACTIVITY: PRIVATE RECREATIONAL DOCK

OCRM.06-948

LOCATION: 39 SUGAR MILL DR

LOT 4

ADJACENT PROPERTY OWNERS:

600-0158-0037 1. DELORIS RONALD T 37 SUGAR MILL DR OKATIE, SC, 29909

2 600-015D-0001 DENNING CAROL W. 43 SUGAR MILL DR OKATIE, SC, 29909

COUNTY: BEAUFORT, SC, DATE: 7/21/06

ACTIVITY: PRIVATE RECREATIONAL DOCK 0K PTE, SC, 29909 1. DELORIS RONALD T 57 SUGAR WILL DR 600-0158-0037 APPLICANT; 600-0158-0038
PALPHREYMAN WILLAM JOYCE M.
41 SUGAR MILL DR
OKATIE, SC, 29909 ADJACENT PROPERTY OWNERS: LOCATION: 39 SUCAR MILL DR RIVER SHORNEORO) .5 GASTON PLANTATION RD CHELSEA COLONY AD B CRICIE FORDING CAMP ST MARYS RD JMP RO 278

COUNTY: BEAUFORT, SC, DATE: 7/21/06

846-90. WY70

OK PLIE' 2C' 5808 43 20CPB MIT DB 5 000-0120-0001

1 107

September 29, 2006

Permit Number:

OCRM-06-949

Permit ID:

55614

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Robert M Campbell

68 Stroup Road Seabrook SC 29940

LOCATION:

On and adjacent to a tributary of the Whale Branch at 70 Stroup Road, Seabrook, Beaufort

County, South Carolina.

TMS#: R700-038-000-0108-0000.

WORK:

The work proposed consists of constructing a private dock. The proposed structure will have a 4'x270' walkway with handrails leading to a 10'x10' covered fixed pierhead. To the right of the pierhead will be a 4'x24' ramp leading to a 10'x16' floating dock. Off the left of the pierhead will be a 13'x13' 4 pile boatlift. The purpose for the dock is for the owner's private recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.

To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006.

#### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 104 Parker Drive Beaufort, South Carolina 29906

Please refer to P/N# OCRM-06-949

C. W. "Rocky" Browder III, Regional Permit Administrator

DOCK PERMIT SKETCH PREPARED FOR ROBERT M. CAMPBELL (Covered) 13X13 BOAT LIFT 10X10 PIER HEAD 4X24 RAMP 10X16 FLOAT DAM WARSHES OF WHALE BRANCH 13x13 BOAT LIFT EDGE OF 10x10 PER HEAD ±270' WALKWAY TORTS' FLOAT SIDE VIEW NOT TO SCALE CLAIR L. & PATRICIA A. MASTERS R700-038-000-0107-0001

> DAVID P. NORMAN PIN: R700-037-000-0039-0000

I HEREBY CERTIFY TO THE DIMENSIONS SHOWN ON THIS SKETCH THAT PERTAIN TO CRITICAL LINE AND MARSH LINE.

PIN: R700-038-000-0108-0000

100' 200, 400'

600'

SCALE 1" = 200'

JULY 7, 2006 P/7665DS/JJ

OCRM-06-949

APPLICANT: ROBERT M. CAMPBELL


**ACTIVITY** PRIVATE DOCK LOCATION 70 STROUP ROAD SEABROOK, S.C. 29940

COUNTY BEAUFORT

DATE: 09/08/06

RLS 9765 BEAUFORT SURVEYING, INC. 1613 PARIS AVENUE PORT ROYAL, S.C. 29935 PHONE (843) 524-3261

> ADJACENT PROPERTY OWNERS CLAIR & PATRICIA MASTERS DAVID P. NORMAN



APPLICANT: ROBERT M. CAMPBELL

ACTIVITY:
PRIVATE DOCK

LOCATION: 70 STROUP ROAD SEABROOK, S.C. 29940

COUNTY: BEAUFORT

DATE: 09/08/06

ADJACENT PROPERTY DWNERS CLAIR & PATRICIA MASTERS DAVID P. NORMAN

September 29, 2006

Permit Number:

OCRM-06-950

Permit ID:

55624

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Lewis E Carter

C/o O'Quinn Marine Construction Inc

95 Sheppard Rd

Ladys Island SC 29907

LOCATION:

On and adjacent to the marshes of the Morgan River at 761 Eddings Point Rd, St Helena

Island, Beaufort County, South Carolina.

TMS#: R300-006-000-0014-0000.

WORK:

The work as proposed will consists of constructing a timber bulkhead. The proposed

structure will be 4' high and 102' long with 10' wing walls. The purpose for the bulkhead is

for erosion control.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006.


### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 104 Parker Drive Beaufort, South Carolina 29906

Please refer to P/N# OCRM-06-950

C. W. "Rocky" Browder, III, Regional Permit Administrator





LOCATION: 761 Eddenas Pt. Rd 61 Hillena Isid, Si APPLICANT: Lewis E. Carter 1 Anderson D. Jones ACTIVITY: Bucklead COUNTY: Beaufort

P/N # OCRM-06-950

DATE:

2. David Farnor

September 29, 2006

Permit Number:

OCRM-06-951

Permit ID:

55625

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Leila T Stevens

C/o O'Quinn Marine Construction Inc

95 Sheppard Rd

Ladys Island SC 29907

LOCATION:

On and adjacent to marshes of the Morgan River at 769 Eddings Point Rd, St Helena Island,

Beaufort County, South Carolina. TMS#: R300-006-000-0050-0000.

WORK:

The work as proposed consists of constructing a private dock. The proposed structure will

have a 4'x280' walkway with handrails leading to a 16'x16' covered fixed pierhead.

Channelward of the pierhead will be a 3'x24' ramp leading to a 10'x20' floating dock. The

purpose for the dock is for the owner's private recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006.

#### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 104 Parker Drive Beaufort, South Carolina 29906

Please refer to P/N# OCRM-06-951


C. W. "Rocky Browder III Regional Permit Administrator





### GASQUE & ASSOCIATES INC. LAND SURVEYORS & PLANNERS

28 PROFESSIONAL VILLAGE CIRCLE, BEAUFORT, S.C. P.O. BOX 1363, BEAUFORT, S.C. PHONE (843) 522-1798



DRAWING NOT TO SCALE

NOTE: DISTANCES AND PLACEMENT OF DOCKS MUST BE VERIFIED BY CONTRACTOR

OCRM-06-951

DATE: 8/01/06

LOCATION: 764 EDDINGS POINT RD

DAVID E GASQUE, R.L.S.

JOB # 31719

APPLICANT: 300-006-0050 STEVENS LEILA TYLER 144 BRICKYARD POINT RD SOUTH BEAUFORT S.C. 29907

COUNTY; BEAUFORT DATE: 8/01/08


ADJACENT PROPERTY OWNERS:

300-006-0128 RUSSELL J. BISHOP 739 EDDINGS POINT RD BEAUFORT, SC 29901

300-006-0059 SANDERS W GRAY 17 TODD STREET BELMONT, NC, 28012

300-006-0015 FARRION DAVID P 1 HERMITAGE POINTE BEAUFORT, SC. 29902

ACTIVITY: PRIVATE RECREATIONAL DOCK



# SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

September 29, 2006

Permit Number:

OCRM-06-952

Permit ID:

55650

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Kenneth R Groff

C/o G & T Marine Construction Inc

P O Box 22081

Hilton Head Island SC 29925

LOCATION:

On and adjacent to a tributary of Broad Creek at 22 Marsh View Dr, Hilton Head Island,

Beaufort County, South Carolina. TMS#: R550-014-000-0724-0000.

WORK:

The work proposed consists of constructing a private dock. The proposed structure will have a 4'x80' walkway with handrails leading to a 10'x10' fixed pierhead. To the right of the pierhead will be a 3'x24' ramp leading to an 8'x16' floating dock. The purpose for the dock is

for the owner's private recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006.


# PLEASE REPLY TO:


SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 104 Parker Drive Beaufort, South Carolina 29906

Please refer to P/N# OCRM-06-952

C. W. "Rocky" Browder III, Regional Permit Administrator







# SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

September 29, 2006

Permit Number:

OCRM-06-953

Permit ID:

55660

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Carlisle & Joey Godley

121 Wolfe Lake Lane Gaston SC 29053

LOCATION:

On and adjacent to Fripp Canal at 384 Wahoo Dr, Fripp Island, Beaufort County, South

Carolina.

TMS#: R400-040-000-0378-0000.

WORK-

The work proposed consists of constructing a private dock. The proposed structure will have a 4'x35' walkway with handrails leading to a 12'x12' covered fixed pierhead. To the right of the pierhead will be a 3'x24' ramp leading to an 8'x16' floating dock with a 13'x13' 4 pile boatlift on the shoreward side. The purpose for the dock is for the owner's private

recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.

To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006.


### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 104 Parker Drive Beaufort, South Carolina 29906

Please refer to P/N# OCRM-06-953

C. W. "Rocky" Browder III, Regional Permit Administrator

APPLICANT: CARLISLE & JOEY LOCATION: 384 WAHOO DRIVE ADJACENT PROPERTY OW GODLEY FRIPP ISLAND ACTIVITY: PRIVATE DOCK T & T BEACH HOUSE LLC COUNTY: THOMAS A HOLLOWAY P/N # OCRM-06-953 9-19-06 DATE: EDGE OF MARSH DOCK PERMIT SKETCH PREPARED FOR CARLISLE GODLEY, JR. CANAL & JOEY GODLEY 15.0 FLOAT RAMP 16.9 EDGE OF MARSH & CRITICAL LINE DOCK SEAWALL LOT 2 R400-040-000-0377-0000 THOMAS HOLLOWAY JOHN TRASK, III R400-040-000-0379-0000 T&T BEACH HOUSE LLC LOT 3 BLOCK D S/D 6 FRIPP IS. (covered) EDGE OF 13x13 12x12 PIER HEAD MARSH BOAT LIFT 35' WALKWAY 11' BULKHEAD 8x16' FLOAT SIDE VIEW WAHOO DRIVE NOT TO SCALE I HEREBY CERTIFY TO THE DIMENSIONS SHOWN ON THIS SKETCH THAT PERTAIN TO CRITICAL LINE AND MARSH LINE. R400-040-000-0378-0000 25' 50' 100' 150' DAVID S. YOUMANS RLS 9765 BEAUFORT SURVEYING, INC. SCALE 1" = 50' 1613 PARIS AVENUE PORT ROYAL, S.C. 29935 AUGUST 31, 2006 PHONE (843) 524-3261 P13009DS/MMA



GODLEY

ACTIVITY: PRIVATE DOCK

P/N # OCRM-06-953

FRIPP ISLAND

COUNTY:

DATE: 9-19-06

ADJACENT PROPERTY OW

T & T BEACH HOUSE LLC

THOMAS A HOLLOWAY

# SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

September 29, 2006

Permit Number:

OCRM-06-954

Permit ID:

55687

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Jonathan B Turrell

C/o G & T Marine Construction Inc

P O Box 22081

Hilton Head Island SC 29925

LOCATION:

On and adjacent to lagoon system at 13 St George Place in Palmetto Dunes Plantation, Hilton

Head Island, Beaufort County, South Carolina.

TMS#: R550-016-00A-0051-0000.

WORK:

The work proposed consists of constructing a deck and timber bulkhead. The proposed deck will be a 6'x12'fixed pierhead off the proposed bulkhead. The purpose for the deck is for the owner's private recreational use. Also proposed is a 3' high by 80' long timber bulkhead. The purpose for the bulkhead is for erosion control.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.

To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006.

### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 104 Parker Drive Beaufort, South Carolina 29906

Please refer to P/N# OCRM-06-954

George J. Madlinger, Project Manager

APPLICANT:

Md

3:51:52

8/21/2008

Survey\2006\41153.dwg

JONATHAN B. TURRELL

**ACTIVITY: EROSION CONTROL** TIMBER BULKHEAD

PN # OCRM-06-954

LOCATION: 13 SAINT GEORGE ROAD

HILTON HEAD ISLAND, SC 29926

SAINT GEORGE ROAD

COUNTY: BEAUFORT

DATE: AUGUST 21, 2006 ADJACENT PROPERTY OWNERS

1) MADELEINE H. BARTOLDUS

2) ROBERT E. SR. & MERIAM M. ZIPF



(#15) LOT 52

NF MADELEINE H. BARTOLDUS 15 SAINT GEORGE ROAD HILTON HEAD ISLAND, SC 29928 TM R550-016-00A-0052

(#13) LOT 51

TM R550-016-00A-0051

DHEC-OCRM CRITICAL LINE

PROPOSED DECK

(#11) LOT 50

N/F ROBERT E. SR. & MERIAM M. ZIPF 7019 SPRUCEWOOD COURT CINCINNATI, OH 45241 TM R550-016-00A-0050

PROPOSED TIMBER BULKHEAD TO CONSIST OF:

±80 LF BULKHEAD x 3' HIGH 12' x 6' DECK



PROPERTY LINE 553'01'28 LINE BULKHEAD PROPERTY ~LAGOON~ ±120 +MHW

TIMBER BULKHEAD PLAN PREPARED FOR:

JONATHAN B. TURRELL 4 SUNDALE PLACE SCARSDALE, NY 10583


"I HEREBY STATE THAT TO THE BEST OF MY KNOWLEDGE, INFORMATION, AND BELIEF, THE SURVEY SHOWN HEREON WAS MADE IN ACCORDANCE WITH THE REQUIREMENTS OF THE MINIMUM STANDARDS MANUAL FOR THE PRACTICE OF LAND SURVEYING IN SOUTH CAROLINA, AND ACCURATELY SHOWS ALL INFOMATION REQUESTED BY SCOHEC—OCRM FOR DOCK PERMIT APPROVAL. THIS SURVEY SHALL NOT BE USED FOR LOAN, CLOSING OR MORTGAGE PURPOSES AND IS NOT FOR RECORDING."


> mus 8/21/06 S.C.P.L.S. NO. 14531

COASTAL SURVEYING CO., INC. 49 RIVERWALK BLVD. BUILDING 8 RIDGELAND, SC 29936 (843) 645-4446

1 -40 SCALE: 8/21/06 DATE: FIELD CK: BM DRAWN BY:\_ MT OFFICE CK:\_ ΕI 41153 JOB No .:

GRAPHIC SCALE 40 80 20 SCALE IN FEET





CROSS-SECTION

NOT TO SCALE

APPLICANT: JONATHAN B. TURRELL

ACTIVITY: EROSION CONTROL TIMBER BULKHEAD

PN # OCRM-06-954


LOCATION: 13 SAINT GEORGE ROAD HILTON HEAD ISLAND, SC 29926

COUNTY: BEAUFORT

DATE: AUGUST 21, 2006 ADJACENT PROPERTY OWNERS

1) MADELEINE H. BARTOLDUS

2) ROBERT E. SR. & MERIAM M. ZIPF



ACTIVITY: EROSION CONTROL TIMBER BULKHEAD

PN 1 OCRM-06-954

LOCATION: 13 SAINT GEORGE ROAD HILTON HEAD ISLAND, SC 29926

COUNTY: BEAUFORT

DATE: AUGUST 21, 2006

# ADJACENT PROPERTY OWNERS

- 1) MADELEINE H. BARTOLDUS
- 2) ROBERT E. SR. & MERIAM M. ZIPF

# SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

September 29, 2006

Permit Number:

OCRM-06-955

Permit ID:

55689

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Paul C Hanna

C/o O'Quinn Marine Construction Inc

95 Sheppard Rd

Ladys Island SC 29907

LOCATION:

On and adjacent to tributary of Eddings Creek at 35 Rose Island Rd, St Helena Island,

Beaufort County, South Carolina. TMS#: R300-011-000-0039-0000.

WORK:

The work proposed will consists of constructing a private dock. The proposed structure will have a 4'x446' walkway with handrails leading to a 12'x12' covered fixed pierhead. Off each side of the pierhead will be 3'x24' ramps leading to 8'x20' floating docks. On the shoreward side of each float will be 11'x12' 4 pile boatlifts. The purpose for the dock is for the owner's private recreational and joint use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.


The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006.

### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 104 Parker Drive Beaufort, South Carolina 29906 Please refer to P/N# OCRM-06-955

George J. Madlinger, Project Manager





OCRM-06-955

# NO. 15229 BY ANDREWS & BURGESS INC. COOOOS

# Burgess

40A Shanklin Road Beaufort, SC 29906 843,466,0369 Fax 843,466,9766

1 Inch - 20

;⇒

(三百二)

Engineering & Surveying

# DOCK PROFILE

7.5 MINUTE SERIES-ST. HELENA ISLAND QUADRANGLE Latitude: 32-25-28 U.S.G.S. TOPOGRAPHIC MAP Longitude: -80 - 33 - 27

SCALE: 1"=20"


ADJACENT PROPERTY OWNERS:


1. ARDELLA WILLIAMS AND
GEORGELLA W. SHY ETAL
2. WILLIAM H. HEYWARD, CAROLIN B. HI
AND THOMAS HEYWARD ETAL
3. BERTHA MAE WILLIAMS

HEYWARD

PROP. ACTIVITY: PROJECT NO: APPLICANT: PRIVATE SHARED DOCK
ACCESS & DEVELOPMENT
ROSE ISLAND
PAUL HANNA 1304 PARTRIDGE WAY MARIETTA, GA 30062 252012

DATE: 08-30-06 133KS u 吊 CH





Take USZIS toward Hunting Isld. Pass Hirbitan Framore, turn left onto Eddings Pt Rod, turn night off of Eddings Pt Roy Histo Rose Island Rd. Site will be approximately I mile on left side of Road.

APPLICANT Paul C. Hanna ACTIVITY Shared dock for Private recreational usc P/N 11 OCKM-06-955 LOCATION: 35 Rose Island Pol. St. Helina Island, SC

COUNTY: Beaufort DATE: 2/28/06 ADJACENT PROPERTY OWNERS

1. Ardella Williams etal

2 William Heyward etal

3 Est. Of Bertha Williams

4. Dorothy Seabrook

5. Josephyne Williams

# SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

September 29, 2006

Permit Number:

OCRM-06-956

Permit ID:

55691

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Daniel Harrell

C/o Atlantic Marine Construction Co Inc

372 County Shed Rd Beaufort SC 29906

LOCATION:

On and adjacent to a tributary of Battery Creek at 87 Pettigru Dr, Beaufort, Beaufort

County, South Carolina. TMS#: R120-029-00A-0211-0000.

WORK:

The work proposed consists of constructing a private dock. The proposed structure will have a 4'x315' walkway with handrails leading to a 10'x10' covered fixed pierhead. To the left of the pierhead will be a 3'x24' ramp leading to a 10'x16' floating dock. Off the right of the pierhead will be a 12'x13' 4 pile boatlift. The purpose for the dock is for the owner's private recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.

To assure review by OCRM, comments regarding this application must be received by OCRM on or before October 14, 2006.

### PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 104 Parker Drive Beaufort, South Carolina 29906

Please refer to P/N# OCRM-06-956


George J. Madlinger, Project Manager



# GASQUE & ASSOCIATES INC. LAND SURVEYORS & PLANNERS

28 PROFESSIONAL VILLAGE CIRCLE, BEAUFORT, S.C. P.O. BOX 1363, BEAUFORT, S.C. PHONE (843) 522-1798

NOTE;
DISTANCES AND PLACEMENT OF DOCKS
MUST BE VERIFIED BY CONTRACTOR



APPLICANT:

LOT ASS 120-029A-0211 DANIEL HARRELL PO BOX 6251 BEAUFORT SC 29903

ACTIVITY; PRIVATE RECREATIONAL DOCK

OCRM-06-956

COUNTY; BEAUFORT, SC, DATE: 8/15/06 120-029A-0210


1. TIMOTHY A. TERESA O. VERROI 89 PETGRU DRIVE BEAUFORT, S.C. 29902

2. 120-029A-0212 LAJEN DEVELOPMENT GROUP LLC 5811 GLENWOOD AVENUE RALEIGH, N.C. 27612



# GASQUE & ASSOCIATES INC. LAND SURVEYORS & PLANNERS

28 PROFESSIONAL VILLAGE CIRCLE, BEAUFORT, S.C. P.O. BOX 1363, BEAUFORT, S.C. PHONE (843) 522-1798



DRAWING NOT TO SCALE

NOTE: DISTANCES AND PLACEMENT OF DOCKS MUST BE VERIFIED BY CONTRACTOR

DATE: 8/15/06

DAVID E. GASQUE, R.I.S.

JOB # 30384 FB#NA/A.E. DSGN#3

APPLICANT;

10T A88 120-029A-0211 DANIEL HARRELL PO BOX 6251 BEAUFORT SC 29903

ACTIVITY; PRIVATE RECREATIONAL DOCK

OCRM-06-956


LOCATION: 87 PETGRU DRIVE BATTERY POINT SUBDIVISION

COUNTY: BEAUFORT, SC. DATE: 8/15/06

ADJACEL PROPERTY OWNERS:

120-029A-0210 TIMOTHY A. TERESA O. VERROI B9 PETGRU DRIVE BEAUFORT, S.C. 29902

120-029A-0212 LAJEN DEVELOPMENT GROUP LLC 5811 GLENWOOD AVENUE RALEIGH, N.C. 27612





# C. Earl Hunter, Commissioner Promoting and protecting the health of the public and the environment.

# Notification of Public Notice

Enclosed are public notices issued by the SCDHEC Office of Ocean and Coastal Resource Management and the U.S. Army Corps of Engineers. All interested parties are allowed 30 days for major developments and 15 days for minor developments after receipt of the public notices to file written comments to the OCRM pertaining to the applications. Only those comments received within this period must be reviewed by the OCRM in processing the permit application. Any person wishing notification of the initial OCRM decision on any specific public notice must make written request within the designated review period for that public notice.

APPLICANT	PUBLIC NOTICE NUMBER	SUSPENSE DATE
Tip Atkeson	2006-2234-2IR-P	October 29, 2006
Carolina Yacht Club	2006-2414-2IR-P	October 29, 2006
Demaris Rabon	2006-2185-3IT-P	October 29, 2006

September 29, 2006

Charleston Office • 1362 McMillan Avenue • Suite 400 • Charleston, SC 29405 Phone: (843) 744-5838 • Fax: (843) 744-5847 • www.scdhec.gov

# PUBLIC NOTICE

CHARLESTON DISTRICT, CORPS OF ENGINEERS 69A Hagood Avenue Charleston, South Carolina 29403-5107 and the

S.C. DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400

Charleston, South Carolina 29405

REGULATORY DIVISION Refer to: P/N # 2006-2234-2IR - P

29 September 2006

Pursuant to Section 10 of the Rivers and Hardons
401 and 404 of the Clean Water Act (33 U.S.C. 1344), and the Orin
Management Act (48-39-10 et.seq.) an application has been submitted
Army and the S.C. Department of Health and Environmental Control by

TIP ATKESON

# FOLLY BEACH, SOUTH CAROLINA 29439

for a permit to remove an existing commercial dock and construct a new community dock in

### FOLLY CREEK

located across from the residence at 1944 Sol Legare Road off of Folly Road, Charleston County, South Carolina (Latitude: 32.67454; Longitude: 79.97151).

In order to give all interested parties an opportunity to express their views

### NOTICE

is hereby given that written statements regarding the proposed work will be received by both of the above mentioned offices until

# 12 O'CLOCK NOON, MONDAY, OCTOBER 30, 2006

from those interested in the activity and whose interests may be affected by the proposed work.

The proposed work consists of removing 680 sq. ft of the existing pierhead (58' x 10') and dock (10' x 10') that was permitted as PN#79-3H-279 for commercial use. The new construction is for a community dock and will include adding a 20' x 20' pierhead with a 20' x 30' roof at the end of the existing main walkway (4' x 1157'). In addition, a 4' x 111' walkway will be constructed with 5 – 3' x 16' finger docks and 4' x 16' ramp which will extend to a 10' x 30' floating dock. Nine (9) four pole boat lifts will also be installed. The new dock will have no fuel facilities, pump-outs, or railways. The purpose for the project is to provide a community recreational dock for the Legare Creek Landing Homeowners Association.

NOTE: Plans depicting the work described in this notice are available and will be provided, upon receipt of a written request, to anyone that is interested in obtaining a copy of the plans for the specific project. The request must identify the project of interest by

Refer to: REGULATORY DIVISION P/N 2006-2234-2IR

29 SEPTEMBER 2006 PAGE 2 OF 3

public notice number and a self-addressed stamped envelope must also be provided for mailing the drawings to you. Your request for drawings should be addressed to the

U.S. Army Corps of Engineers
ATTN: REGULATORY DIVISION
69A Hagood Avenue
Charleston, South Carolina 29403-5107

The District Engineer has concluded that the discharges associated with this project, both direct and indirect, should be reviewed by the South Carolina Department of Health and Environmental Control in accordance with provisions of Section 401 of the Clean Water Act. As such, this notice constitutes a request, on behalf of the applicant, for certification that this project will comply with applicable effluent limitations and water quality standards. The work shown on this application must also be certified as consistent with applicable provisions the Coastal Zone Management Program (15 CFR 930). The District Engineer will not process this application to a conclusion until such certifications are received. The applicant is hereby advised that supplemental information may be required by the State to facilitate the review.

This notice initiates the Essential Fish Habitat (EFH) consultation requirements of the Magnuson-Stevens Fishery Conservation and Management Act. Implementation of the proposed project would impact 0.03 acres of estuarine substrates and emergent wetlands utilized by various life stages of species comprising the red drum, shrimp, and snapper-grouper management complexes. Our initial determination is that the proposed action would not have a substantial individual or cumulative adverse impact on EFH or fisheries managed by the South Atlantic Fishery Management Council and the National Marine Fisheries Service (NMFS). Our final determination relative to project impacts and the need for mitigation measures is subject to review by and coordination with the NMFS.

Pursuant to Section 7(c) of the Endangered Species Act of 1973 (as amended), the District Engineer has consulted the most recently available information and has determined that the project is not likely to adversely affect any Federally endangered, threatened, or proposed species or result in the destruction or adverse modification of designated or proposed critical habitat. This public notice serves as a request for written concurrence from the U.S. Fish and Wildlife Service and/or the National Marine Fisheries Service on this determination.

Pursuant to Section 106 of the National Historic Preservation Act (NHPA), this public notice also constitutes a request to Indian Tribes to notify the District Engineer of any historic properties of religious and cultural significance to them that may be affected by the proposed undertaking.

In accordance with the NHPA, the District Engineer has also consulted the latest published version of the National Register of Historic Places for the presence or absence of registered properties, or properties listed as being eligible for inclusion therein, and this worksite is not included as a registered property or property listed as being eligible for inclusion in the Register. To insure that other cultural resources that the District Engineer is not aware of are not overlooked, this public notice also serves as a request to the State Historic Preservation Office to provide any information it may have with regard to historic and cultural resources.

Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for a public hearing shall state, with particularity, the reasons for holding a public hearing.

Refer to: REGULATORY DIVISION P/N 2006-2234-21R


29 SEPTEMBER 2006 PAGE 3 OF 3

The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the project must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the project will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production and, in general, the needs and welfare of the people. A permit will be granted unless the District Engineer determines that it would be contrary to the public interest. In cases of conflicting property rights, the Corps of Engineers cannot undertake to adjudicate rival claims.

The Corps of Engineers is soliciting comments from the public; Federal, state, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this project. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the activity.

If there are any questions concerning this public notice, please contact Robin Coller-Socha at 843-329-8044 or toll free at 1-866-329-8187.

Bill Hiser Project Manager SCDHEC-OCRM



# LOCATION MAP


TAX MAP 330-12-00-064 OWNER: SUSIE B. BACKMAN LOT A


RECEIVE

DHEC-OCRM

TAX MAP 330-12-00-016
OWNER: QUERQUIA K.S. BACKMAN & REGINALD A. BACKMAN,
III
LOT B

TAX MAP 330-12-00-062 OWNER: QUERQUIA K.S. BACKMAN & ELIZABETH B. RICHARDSON LOT C





# JOINT PUBLIC NOTICE

# CHARLESTON DISTRICT, CORPS OF ENGINEERS 69A Hagood Avenue Charleston, South Carolina 29403-5107

S.C. DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

REGULATORY DIVISION Refer to: P/N #2006-2414-2IR - P

29 September 2006

Pursuant to Section 10 of the Rivers and Harbors Act 61 899 (33 U.S.C. 403), Sections 401 and 404 of the Clean Water Act (33 U.S.C. 1344), and the South Carolina Coastal Zone Management Act (48-39-10 et.seq.) an application has been submitted to the Department of the Army and the S.C. Department of Health and Environmental Control by

CAROLINA YACHT CLUB

50 EAST BAY STREET

# CHARLESTON, SOUTH CAROLINA 29401

for a permit to reconfigure and make additions to an existing marina in the

### COOPER RIVER / CHARLESTON HARBOR

at 50 East Bay Street in the City of Charleston, Charleston County, South Carolina (latitude: 32.77278; longitude: 79.92667).

In order to give all interested parties an opportunity to express their views

### NOTICE

is hereby given that written statements regarding the proposed work will be received by both of the above mentioned offices until

### 12 O'CLOCK NOON, MONDAY, OCTOBER 30, 2006

from those interested in the activity and whose interests may be affected by the proposed work.

The proposed work consists of relocating the existing 16' x 190' outer floating breakwater 280' to the east so that it incorporates the proposed marina additions and relocating the existing marina entrance to the east. The marina opening will be angled to protect the interior portion of the marina from waves generated during a northeast fetch. Furthermore, proposed marina additions include: 1) extending the relocated floating breakwater an additional 54' to the north, 2) constructing a 280' x 16' floating breakwater that connects the southern end of the relocated 16' x 190' outer floating breakwater to the existing 16' x 140' floating breakwater, 3) constructing a 16' x 98' floating breakwater that will be connected to the northern end of the relocated outer floating breakwater and extending shoreward, 4) constructing a 16' x 74' floating breakwater that extends to the northwest from the proposed 16' x 98' addition; 5) adding an additional 100' to the existing 10' x 50' floating dock located in the north side of the marina and extending a 10' x 46' floating dock toward the northeast from this addition, and 6) adding 12 - 8' x 50' floating docks and 4 - 8' x 25' floating finger docks to the interior of the marina footprint. The berths within the proposed

29 September 2006 Page 2 of 3

REGULATORY DIVISION Refer to: 2006-2414-2IR

expansion area will be 37.5 feet apart. Spring piles may be placed in some berths to facilitate berthing of larger private vessels. The proposed modifications will increase the number of boat slips from 25 to 65. The purpose of the project, according to the applicant, is to facilitate ongoing and future uses of the waterfront site as a marina for private vessels.

NOTE: Plans depicting the work described in this notice are available and will be provided, upon receipt of a written request, to anyone that is interested in obtaining a copy of the plans for the specific project. The request must identify the project of interest by public notice number and a self-addressed stamped envelope must also be provided for mailing the drawings to you. Your request for drawings should be addressed to the

U.S. Army Corps of Engineers
ATTN: REGULATORY DIVISION
69A Hagood Avenue
Charleston, South Carolina 29403-5107

The District Engineer has concluded that the discharges associated with this project, both direct and indirect, should be reviewed by the South Carolina Department of Health and Environmental Control in accordance with provisions of Section 401 of the Clean Water Act. As such, this notice constitutes a request, on behalf of the applicant, for certification that this project will comply with applicable effluent limitations and water quality standards. The work shown on this application must also be certified as consistent with applicable provisions the Coastal Zone Management Program (15 CFR 930). The District Engineer will not process this application to a conclusion until such certifications are received. The applicant is hereby advised that supplemental information may be required by the State to facilitate the review.

This notice initiates the Essential Fish Habitat (EFH) consultation requirements of the Magnuson-Stevens Fishery Conservation and Management Act. Implementation of the proposed project would have shading impact of 0.35 acres of estuarine substrates and emergent wetlands utilized by various life stages of species comprising the red drum, shrimp, and snapper-grouper management complexes. Our initial determination is that the proposed action would not have a substantial individual or cumulative adverse impact on EFH or fisheries managed by the South Atlantic Fishery Management Council and the National Marine Fisheries Service (NMFS). Our final determination relative to project impacts and the need for mitigation measures is subject to review by and coordination with the NMFS.

Pursuant to Section 7(c) of the Endangered Species Act of 1973 (as amended), the District Engineer has consulted the most recently available information and has determined that the project is not likely to adversely affect any Federally endangered, threatened, or proposed species or result in the destruction or adverse modification of designated or proposed critical habitat. This public notice serves as a request for written concurrence from the U.S. Fish and Wildlife Service and/or the National Marine Fisheries Service on this determination.

Pursuant to Section 106 of the National Historic Preservation Act (NHPA), this public notice also constitutes a request to Indian Tribes to notify the District Engineer of any historic properties of religious and cultural significance to them that may be affected by the proposed undertaking.

In accordance with the NHPA, the District Engineer has also consulted the latest published version of the National Register of Historic Places for the presence or absence of registered properties, or properties listed as being eligible for inclusion therein, and this worksite is not included as a registered property or property listed as being eligible for inclusion in the Register. To insure that other cultural resources that the District Engineer is not aware of are

29 September 2006 Page 3 of 3

REGULATORY DIVISION Refer to: 2006-2414-2IR

not overlooked, this public notice also serves as a request to the State Historic Preservation Office to provide any information it may have with regard to historic and cultural resources.


Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for a public hearing shall state, with particularity, the reasons for holding a public hearing.

The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the project must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the project will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production and, in general, the needs and welfare of the people. A permit will be granted unless the District Engineer determines that it would be contrary to the public interest. In cases of conflicting property rights, the Corps of Engineers cannot undertake to adjudicate rival claims.


The Corps of Engineers is soliciting comments from the public; Federal, state, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this project. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the activity.

If there are any questions concerning this public notice, please contact Robin Coller-Socha at 843-329-8044 or toll free at 1-866-329-8187.

Steve Brooks
Project Manager
SCDHEC-OCRM



-SITE







SAZ# 2006- 1414-2IR

PURPOSE: EXPAND MARINA

PIGURE 2

SITE VICINITY MAP

ADJACENT PROPERTY OWNERS:

1. SEE ATTACHED

NOT TO SCALE

NOT TO SCALE

AT: 50 EAST BAY STREET

CHARLESTON, SC 29401


IN: COOPER RIVER / CHARLESTON HARBOR


COUNTY: CHARLESTON

CAROLINA YACHT CLUB

CHARLESTON

SHEET: 2 OF 5 DATE: 09/07/06






1. SEE ATTACHED

SURVEY DATUM: UTM

PROPOSED LAYOUT OF MARINA
PLAN VERT
1"-60"-9"
0 40 80 APPLICANT CAROLINA YACHT CLUB

AT: 50 EAST BAY STREET CHARLESTON, SC 29401 IN: COOPER RIVER / CHARLESTON HARBOR COUNTY: CHARLESTON SHEET: 4 OF 5 DATE: 08/07/08





C. Earl Hunter. Commissioner Promoting and protecting the health of the public and the environment.

# PUBLIC NOTICE Clarification

The public notice for <u>DEMARIS RABON</u> was originally published by OCRM on September 15, 2006, with the permit number, OCRM-06-549. Subsequently, the Army Corps of Engineers has placed the same project on Joint Public Notice, which is attached. For clarification purposes, please refer to the Corps permit number of 2006-2185-3IT-P when submitting comments to OCRM.

The proposed activity is to construct a private recreational dock, bulkhead and fill on Main Creek, Murrells Inlet, Georgetown County, South Carolina

Written comments will be received on this project until October 29, 2006. For further information please contact the project manager for this activity, Tanitra Marshall at 843-238-4528.

M

September 29, 2006

# PUBLIC NOTICE

CHARLESTON DISTRICT, CORPS OF ENGINEERS 1949 Industrial Park Road, Room 110 Conway, South Carolina 29526 and the

S.C. DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

REGULATORY DIVISION Refer to: P/N #2006-2185-3IT

29 September 2006

Pursuant to Section 10 of the Rivers and Harbors (33 U.S.C. 403), Sections 401 and 404 of the Clean Water Act (33 U.S.C. 1344), and in outbourseline Coastal Zone Management Act (48-39-10 et. seq.) an application has been submitted in Department of the Army and the S.C. Department of Health and Environmental Control by

DEMARIS RABON
c/o THE EARTHWORKS GROUP

# 11661 HIGHWAY 707 **MURRELLS INLET, SOUTH CAROLINA 29576**

for a permit to construct a docking facility and bulkhead and place fill in waters of the United States adjacent to

### MAIN CREEK

at a location adjacent to and south of Jordan Landing Road, Murrells Inlet, Georgetown County, South Carolina (Latitude 33.5685° N, Longitude 79.0214° W).

In order to give all interested parties an opportunity to express their views

# NOTICE

is hereby given that written statements regarding the proposed work will be received by both of the above mentioned offices until

# 12 O'CLOCK NOON, MONDAY, OCTOBER 30, 2006

from those interested in the activity and whose interests may be affected by the proposed work.

The proposed work consists of constructing a walkway, covered fixed pierhead, ramp, boatlift, two floating docks, and bulkhead. In detail, the work consists of constructing a 13' X 16' fixed pierhead partially covered by an 8' X 13' roof and attached to an existing builkhead by a 4' X 42' walkway. The proposed pierhead will be attached to a 152 square foot irregularly shaped floating dock by a 3' X 18' ramp. The dock will provide access to an upstream 8' X 10 ' floating jet ski dock and 10' X 12' boatlift. A 16 linear foot bulkhead will be constructed in the mouth of an existing boat ramp joining two existing bullheads. The enclosed space will be filled with approximately 3.5 cubic yards of fill. The project is for the private recreational use of the applicant.

REGULATORY DIVISION Refer to: P/N #2006-2185-3IT

NOTE: Plans depicting the work described in this notice are available and will be provided, upon receipt of a written request, to anyone that is interested in obtaining a copy of the plans for the specific project. The request must identify the project of interest by public notice number and a self-addressed stamped envelope must also be provided for mailing the drawings to you. Your request for drawings should be addressed to the

U.S. Army Corps of Engineers ATTN: REGULATORY DIVISION 1949 Industrial Park Road, Room 110 Conway, South Carolina 29526

The District Engineer has concluded that the discharges associated with this project, both direct and indirect, should be reviewed by the South Carolina Department of Health and Environmental Control in accordance with provisions of Section 401 of the Clean Water Act. As such, this notice constitutes a request, on behalf of the applicant, for certification that this project will comply with applicable effluent limitations and water quality standards. The work shown on this application must also be certified as consistent with applicable provisions the Coastal Zone Management Program (15 CFR 930). The District Engineer will not process this application to a conclusion until such certifications are received. The applicant is hereby advised that supplemental information may be required by the State to facilitate the review.

This notice initiates the Essential Fish Habitat (EFH) consultation requirements of the Magnuson-Stevens Fishery Conservation and Management Act. Implementation of the proposed project would impact estuarine substrates and emergent wetlands utilized by various life stages of species comprising the red drum, shrimp, and snapper-grouper management complexes. Our initial determination is that the proposed action would not have a substantial individual or cumulative adverse impact on EFH or fisheries managed by the South Atlantic Fishery Management Council and the National Marine Fisheries Service (NMFS). Our final determination relative to project impacts and the need for mitigation measures is subject to review by and coordination with the NMFS.

The District Engineer has consulted the most recently available information and has determined that the project will have no effect on any Federally endangered, threatened, or proposed species and will not result in the destruction or adverse modification of designated or proposed critical habitat. This public notice serves as a request to the U.S. Fish and Wildlife Service and the National Marine Fisheries Service for any additional information they may have on whether any listed or proposed endangered or threatened species or designated or proposed critical habitat may be present in the area which would be affected by the activity, pursuant to Section 7(c) of the Endangered Species Act of 1973 (as amended).

Pursuant to Section 106 of the National Historic Preservation Act (NHPA), this public notice also constitutes a request to Indian Tribes to notify the District Engineer of any historic properties of religious and cultural significance to them that may be affected by the proposed undertaking.

In accordance with the NHPA, the District Engineer has also consulted the latest published version of the National Register of Historic Places for the presence or absence of registered properties, or properties listed as being eligible for inclusion therein, and this worksite is not included as a registered property or property listed as being eligible for inclusion in the Register. To insure that other cultural resources that the District Engineer is not aware of are not overlooked, this public notice also serves as a request to the State Historic Preservation Office to provide any information it may have with regard to historic and cultural resources.


REGULATORY DIVISION Refer to: P/N #2006-2185-3IT


Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for a public hearing shall state, with particularity, the reasons for holding a public hearing.


The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the activity on the public interest and will include application of the guidelines promulgated by the Administrator, Environmental Protection Agency (EPA), under authority of Section 404(b) of the Clean Water Act and, as appropriate, the criteria established under authority of Section 102 of the Marine Protection, Research and Sanctuaries Act of 1972, as amended. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the project must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the project will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production and, in general, the needs and welfare of the people. A permit will be granted unless the District Engineer determines that it would be contrary to the public interest. In cases of conflicting property rights, the Corps of Engineers cannot undertake to adjudicate rival claims.


The Corps of Engineers is soliciting comments from the public; Federal, state, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this project. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the activity.


If there are any questions concerning this public notice, please contact Jay M. Thomas at 843-365-4239.











Y: \Projects\06\061267\_RABON DOCK APPLICATION\CEG\061267.072806.CriticalAreaDockPermit.DWG 8/7/2006 11: 42: 30 AM EST

Application #

Date: 08/04/06

Scale: 1" = AS SHOWN

Sheet 6

Q,

Z006-2185-31T

Project Title: RABON DOCK PERMITTING CRITICAL AREA PERMIT

Project Location: 3662 JORDAN LANDING RD MURRELLS INLET, SC

Applicant: DEMARIS RABON

Date

Initials

Sheet Title: CRITICAL AREA FILL CROSS

SECTION

Revisions